

HYGIENE

The ALL NEW Incomatic Macerator



cost effective incontinence pad and nappy disposal



The INCOMATIC

The Incomatic presents a convenient and hygienic means of disposing of incontinence waste.

What's more, the Incomatic can save you money!

Getting rid of the mountains of pads and nappies generated each day in a care home or Hospital can be quite a headache. For this all too common ailment, the Incomatic provides a convenient and hygienic remedy... that, in many cases, will save you money!

It couldn't be simpler! Incontinence products are shredded into fine particles and then discharged into the sewage system. No storage! No smells! No Mess! Maceration comes recommended by recent Government guidelines aimed at reducing landfill disposal.¹

At DDC, we have years of experience of designing maceration systems and with the Incomatic we have produced a macerator that is simply better than ever. Special attention has been given to designing a machine that is robust and able to cope with the High workloads experienced in Care Homes and Hospitals. You will discover a machine that is supremely easy to use, quick and efficient (disposing of up to 4 pads in less than two minutes) and surprisingly quiet.

Incomatics... the ultimate in maceration design and technology!

¹ Public Health Medicine Environmental Group, Guidelines on the Control of Infection in Residential and Nursing Homes, pp37-39

* Available as optional extra.



FEATURES

- **Hands free lid opening**
for extra convenience and hygiene
- **PLC controlled**
bringing the 'state of the art' electronics
- **Electronic pulsing**
allowing you to clear overload situations electronically
- **Advanced cutting technology**
for better cutting efficiency and a longer cutting life
- **Cycle counter**
enabling you to monitor machine usage and performance more effectively
- **Automatic disinfection***
cleansing the chamber and eliminating odours



Comprehensive after-sales package

Once your Incomatic has been installed, our service Engineer will call to commission the machine prior to use. As this equipment may be new to some of your staff, we'll make sure operational procedures are fully understood. What's more, we'll call back a few weeks later to confirm everything is running smoothly and everyone is completely satisfied.

Thereafter, adopting the principle that prevention is better than cure, we service Incomatics regularly through our own specialist engineers.

At the end of the Warranty period, a choice of maintenance contracts allows you to choose the most appropriate level of ongoing support and maintenance.


Technical SPECIFICATION

TYPICAL CAPACITY	up to 4 incontinence pads
ELECTRICAL SUPPLY	EITHER 220-240 VAC 50 Hz, 32A MCB OR 380-415 VAC 50 Hz, 16A MCB
MOTOR RATING	2.2 kW
WATER SUPPLY	15mm cold water

OVERFLOW	22mm gravity fall
SOIL CONNECTION	50mm P Trap from machine must connect immediately to 110mm (4") soil pipe
DIMENSIONS	1040mmH x 500mmW x 600mmD
SHIPPING WEIGHT	120Kgs

PATENT APPLIED FOR

PLEASE REFER TO INSTALLATION BOOKLET FOR FULL DETAILS



All dimensions in millimetres

Product Range

- Incomatic Pad Macerators
- Disposable Bedpan Macerators
- Panamatic Front-Loading Washer Disinfectors
- Panamatic Top-Loading Sluicer Disinfectors
- Hygenex Stainless Steel Sanitaryware
- Ancillary Sluiceroom Equipment
- Sluice Servicing



DDC Dolphin
The Fulcrum
Vantage Way
Poole, BH12 4NU

Telephone: +44 (0)1202 731555

Facsimile: +44 (0)1202 731666

Email: sales@sluice.co.uk

Web: www.sluice.co.uk



Certificate No: 1161/96